

High Speed CounterCurrent Chromatography



KUTUWA Sangyo Co., Ltd.

Introduction


KUTUWA Sangyo Co., Ltd. is a professional manufacturer of HSCCC (High Speed counter current chromatography) instruments. We possess the patented HSCCC techniques and have manufactured a series of HSCCC equipments all by ourselves, which named Easy-PREPccc H.



特許第6028239号
特許第6481135号

Background

HSCCC is the most advanced technology in the liquid-liquid chromatography.




Droplet CounterCurrent Chromatography (DCCC)

参考URL: <https://gfp.people.uic.edu/countercurrent/content/history.htm>



High Speed CounterCurrent Chromatography (HSCCC)

1950



Craig apparatus

1980




Centrifugal Partition Chromatography (CPC)

参考URL: <http://www.ssc-jp.com/products/29-35.html>

1990


Principle of HSCCC




Principle of HSCCC

The two-dimensional centrifugal force field caused by the simultaneous rotation and revolution hold one liquid phase as stationary phase in the separation tube.

HSCCC actualized high frequency extraction between two phases by high speed planetary centrifuge. Different components in the sample will be eluted due to their respective distribution coefficient.



HSCCC Working Flow Chart



Features of HSCCC

- High Performance
- 100% Sample Recovery
- Scalable
- Cost-efficient
- Versatile Selectivity
- Safe Operation

In comparison to HPLC


- Larger Preparation Capacity
- No Consumables & Low in Operation Cost
- No Irreversible Adsorption & Simplified Sample Pre-Preparation

Application Field

HSCCC has been applied to different researches such as biochemistry, pharmacy, agriculture, environmental science, material research, chemistry, biology and inorganic ion. It is an extremely effective technique for the separation of natural products, antibiotics, proteins and noble metals.


- (1) Separation of APIs from natural products
- (2) Separation of large biological molecules such as proteins, polypeptides and polysaccharides.
- (3) Separation of antibiotics
- (4) Separation of rare earth elements and noble metal elements
- (5) Purification of chemical synthetic products
- (6) Separation of functional food component
- (7) Separation and analysis of pesticide residues
- (8) Quality control research of herbals
- (9) Separation of active marine ingredients

Sample



Sample: Bacitracin Components(50mg)
Solvent: Chloroform/ethanol/water(5:4:3)
(lower phase as mobile phase, 3 ml/min)
Detection: 254nm

Sample




Sample: Polyphenols (100mg)
Solvent: ethylacetate/formic acid(2%)/water
(lower phase as mobile phase, 4 ml/min)
Detection: 325nm

Separation Production

| | |
|--|--|
| Antibiotics | Altetoxin I , Cyclosporine A, Cyclosporine B, Cyclosporine C, Cyclosporine D, Cytochalasin N, Erythromycin A, Erythromycin B, Erythromycin C, Isovaleryl spiramycin III |
| Proteins | α -Amylase, Cytochrome C, Hemoglobin, Lysozyme, Ovalbumin, Ovotransferrin, rhClFN- α |
| Phenylpropanoids | Angelica coumarin, Artemisiae capillaris scoparone, Cnidii coumarin, Cortex fraxini coumarin, Costus alctone, Curdinone, Daphnoretin, Dehydro costus alctone, Deoxyschizandrin, Edgeworoside C, Germacrone, Pinoresinol diglucoside, Isopsoralen, Liriodendrin, Honokiol, Magnolol, Peucedanum decursivum coumarin, Peucedanum praeruptorum dunn coumarin, Psoralen, γ -Schizadrin, Syringin, Thyme coumarin, Umbelliferone |
| Flavonoids | Baicalein, Baicalin, Chrysin, Daidzin, Daidzein, Didymin, Genistin, Glycitein, Glycitin, Hyperoside, Isoliquirtigenin, Isorhamneitin, Isovitexin, Isoorientin, Kaempferol, Kuyayinone, Liquiritigenin, Nairutin, Quercetin, Scutellarin, Trollius ledebouri flabonoid glycosides, Wogonoside |
| Terpenoids | Atractyloside, Atractylenolide III, Bilobalide, Gentiopicrin, Ginkgolide A, Ginkgolide B, Ginkgolide C, Ginkgolide J, Harpagoside, Jasminoidin, Paclitaxel, Ursolic acid |
| Quinones | Cryptotanshinone, Tanshinone I , Tanshinone II A |
| Steroids | Androstenedinone, β -Ecdysterone, Sitosterol, Spinasterol |
| Alkaloids | Berberine, Camptothecin, Coptisine, Evodiamine, Heteratisine, Huperzine A, Huperzine B, Matrine, 15-a-Neoline, 1-Tetrahydropalmatine, Oxymatrine, Oxysophocarpine, Rutacarpine, Palmatine, Verticine, Verticinone |
| Isomerides | Barbinervic Acid stereisomer, Gambogic acid stereisomer |
| Saponins | Astragaloside, Clinopodiside A, Ginsenoside-Re, Ginsenoside-Rg 1, Glycyrrhizic acid |
| Organic acid, acid anhydride, and esters | Cinnamic acid, 3,4—Dihydroxyphenyllactic acid, Eicosanoic acid, Ferulic acid, Gallic acid, Ginkgolic acid(C13:0), Ginkgolic acid(C15:1), Ginkgolic acid(C17:0) |
| Polyphenols | EGCG, Salvianolic acid B, Theaflavin |
| Other substances | Amygdalin, Aurentiamide acetate, Chebulagic acid, Chebulinic acid, Curculigoside, Curculigoside B, 10-Hydroxynonacosane Z-Ligustilide, Linderalactone, Pseudostellarin, Senkyunolide A |

Technology Scale UP

The large type HSCCC can load the sample in 10-30g



Preparative column

Large type column

Contact

KUTUWA Sangyo Co., Ltd.

4 Chome-8-26 Nakanochi, Mihara City, Hiroshima Prefecture, 723-0003, Japan

URL : <http://www.kutuwa.com>

TEL : +81-848-64-1001

Email : ok@kutuwa.com